BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1	Bas	ic c	data

Product identification			Document ID		
Product name	Product no/ID designation	1	Product group		
RAW Premium Innerdörr	SIV / IDA		11		
New declaration	In the case of a revised declaration				
Revised declaration	Has the product been changed?	The change relates to			
	□ No □ Yes	Changed product can be identified by			
Drawn up/revised on (date) 2018	3-03-16	Inspected without revision on (date)			
Other information:					

2 Supplier information

• •						
Company name Beijer Byggmat	erial AB	Company reg. no/DUNS no 556012-5220				
Address Box 798			Contact person			
191 27 Sollentuna			Telephone +46 75 241 00 00			
Website: www.beijerbygg.se			E-mail info@beijerbygg.se			
Does the company have an enviro	nmental manage	ment system?	⊠ Yes	□No		
The company possesses certification in compliance with	☐ ISO 9000	Other	If "other", please specify:			
Other information:						

3 Product information

Country of final manufact	ture Estonia	If country cannot be stated, please state why				
Area of use	Intended to be used as	an interna	door in he	ated and living pre	mises	
Is there a Safety Data Sheet for this product?					Yes	□No
In accordance with the reg		Classificati	ion		Not relevant ■	
Chemicals Agency, please	e state:	Labelling				
Is the product registered in	n BASTA?				Yes	⊠ No
Has the product been					ecify:	
Is there a Type III environmental declaration for the product?					Yes	⊠ No
Other information:						

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:							
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments		
Door lead rails and stiles	MDF	21.3					
HDF		30.5					
Chipboard		40.5					
Hardware (hinges, lock)	Steel, galvanized	3.1					
		3.09	68467-81-2				

Data in fields highlighted in green are requriements in compliance with the Ecocycle Council guidelines.

		0.01	7440-66-6		
Glue		1.3	-		
		<0.01	50-00-0	H301,	
		<0.1	12125-02-9	H331,	
				H311,	
				H317, H351,	
				H370	
Primer		0.5			
		<0.1	28961-43-5	H317	
		<0.1	55818-57-0		
		<0.01	107-98-2		
Paint		2.2	28961-43-5	H317,	
		≤ 0.2	55818-57-0	H336,	
		≤ 0.1	57472-68-1	H413	
		≤ 0.1	123-86-4		
		≤ 0.1	84434-11-7		
		≤ 0.01	111497-86-0		
		≤ 0.01	162881-26-7		
		≤ 0.1	15625-89-5		
Sealer		0.3		H317,	
		<0.05	28961-43-5	H411,	
		<0.1	55818-57-0	H413	
		<0.1	57472-68-1		
		≤ 0.01	42978-66-5		
		≤ 0.001	162881-26-7		
		≤ 0.001	84434-11-7		
Silicone		0.3		H304,	
		<0.1	64742-46-7	H332, H412	
		<0.1	78-10-4	11412	
		<0.1	128446-60-6		
		<0.1	21743-27-1		
Other information:					
If the chemical composition of the finished built in product should be a sho					
Constituent materials/	Constituent	Weight	EG no/ CAS no	Classifi-	Comments
components	substances	% or g	(or alloy)	cation	
Other information:					

5 Production phase

Resource utilisation and environmental imp ways:	act during production o	f the item is reporte	ed in one of the following			
1) Inflows (goods, intermediate goods, energy etc) for the registered product into the manufacturing unit , and the outflows (emissions and residual products) from it, i.e. from "gate-to-gate".						
☐ 2) All inflows and outflows from the extra	ction of raw materials to	finished products i.e.	"cradle-to-gate".			
3) Other limitation. State what:						
The report relates to unit of product Reported product The product's product group The product's production unit						
Indicate raw materials and intermediate goods used in the manufacture of the product Not relevant						

Raw material/intermediate goods		Quantity and unit			Comments			
See chapter 4. Contents								
Indicate recycled materials us	sed in the manu	facture of the pro	oduct		☐ Not relevant			
Type of material		Quantity and u	ınit		Coı	mments		
Chipboard		,						
HDF								
MDF								
Paint								
Primer								
Enter the energy used in the m	anufacture of t	he product or its	component part	c		Not relevan		
Type of energy	anulacture of the	Quantity and u				mments		
Electricity		8 250 MWh p				oduction, lig	ahting	
Liectricity					ver	ntilation		
Bioenergy		5 500 MWh p	er year			ating the p Iding	roduction	
Enter the transportation used	in the manufac	ture of the produ	ct or its compor	nent parts		Not relevan	ıt	
Type of transportation		Proportion %			Coı	mments		
Trucks		100%						
Enter the emissions to air, wa component parts	ter or soil from	the manufacture	e of the product	or its	☐ Not relevant			
Type of emission		Quantity and unit			Coı	mments		
NMVOC		95 ton per year						
CO2		2500 ton per	year					
CO		20 ton per year						
SO2		0.2 ton per year						
NOx		2.5 ton per year						
Pb and inorganic compound	ls	0.001 ton per year						
PM (particulate matter)		13.8 ton per year						
Enter the residual products fr	om the manufa	cture of the prod	uct or its compo	nent parts		☐ Not rele	evant	
•		1	Proportion rec					
			Material	Energy				
Residual product	Waste code	Quantity	recycled %	recycled %	Comments			
Softwood		550 ton per		100				
		year						
Is there a description of the data accuracy for the manufacturing data? Yes No If "yes", please specify: All data is saved and mo					onitored in factory.			
Other information:								
6 Distribution of fin	ished pro	duct						
Does the supplier put into practice a system for returning load carriers for the product?					eleva	nt Ye	es 🛛 No	
Does the supplier put into practice any systems involving multi-use packaging for the product?					leva	nt Ye	es 🛛 No	
Does the supplier take back pa	ckaging for the	product?		☐ Not re	eleva	nt Ye	es 🛛 No	
					leva	nt Ye	es 🛛 No	

Other information:								
7 Construction phase								
Are there any special requirements for the	ıe.	Not releva	ont	⊠ Yes	∏No	If "yes"	please specify: See	
product during storage?		Not releva	anı	△ 1es	I NO	appendi		
Are there any special requirements for adjabuilding products because of this product?	Are there any special requirements for adjacent building products because of this product?			Yes	No No	If "yes",	please specify:	
Other information:								
8 Usage phase								
Does the product involve any special requirements for intermediate goods regarding operation and maintenance? Yes If "yes", please specify: See appendice no 1								
Does the product have any special energ requirements for operation?	y supp	ly] Yes	⊠ No		please specify:	
Estimated technical service life for the p								
a) Reference service life estimated as being approx.	5 rs	ull 10 years] 15 ars	25 years	>50 years	Comments: Depends on usage and maintenance	
b) Reference service life estimated to be	in the	interval of 25	-30	years			and maintenance	
Other information:								
9 Demolition								
Is the product ready for disassembly (tak apart)?	ing	☐ Not rele	evan	nt	X Yes	□ No	If "yes", please specify: Product only needs to be dismounted from the wall.	
Does the product require any special meto protect health and environment during demolition/disassembly?		☐ Not relevant			Yes	⊠ No	If "yes", please specify:	
Other information:								
10 Waste management								
Is it possible to re-use all or parts of the product?	Is it possible to re-use all or parts of the Not relevant Yes No If "yes", please specify							
Is it possible to recycle materials for all oparts of the product?	or	☐ Not rele	evan	nt	⊠ Yes	□ No	If "yes", please specify: Chipboard can be recycled.	
Is it possible to recycle energy for all or of the product?	☐ Not relevant		⊠ Yes	□ No	If "yes", please specify: Timber (softwood) and chipboard can be energy recycled up to 100%.			
Does the supplier have any restrictions and recommendations for re-use, materials or energy recycling or waste disposal?								
Enter the waste code for the supplied product Packaging waste: 15 01 01, 15 01 02, 15 01 03								
Is the supplied product classed as hazard							Yes No	
If the chemical composition of the produced delivery, meaning that another waste cool if it is unchanged, the following details of	le is gi	ven to the fini	ishe	een built d built i r	in from tha n product, th	t which it ha	ad at the time of uld be entered here.	
Enter the waste code for the built in pro								

Is the built in product classed as hazardous waste?	Yes	⊠ No
Other information:		

11 Indoor environment (To add a new green row, select and copy an entire empty row and paste it in)

When used as intended,	the product gives off	the following emissions:		The product of emissions	does not have any
Type of emission	Quantity [µg/m²	h] or [mg/m³h]	Meti	nod of	Comments
	4 weeks	26 weeks	mea	surement	
TVOC	<10 or <5		EN 9:20	ISO 16000-	Report 7P07934-2
Sum Carcinogenic VOCs	<1 or <1		EN 9:20	ISO 16000- 006	Report 7P07934-2
Sum VOC with LCI	12 or <5		EN 9:20	ISO 16000- 006	Report 7P07934-2
Sum VOC without LCI	<5 or <5		EN 9:20	ISO 16000- 006	Report 7P07934-2
Sum VVOC	8 or <5		EN 9:20	ISO 16000- 006	Report 7P07934-2
Sum SVOC	<5 or <5		EN 9:20	ISO 16000- 006	Report 7P07934-2
R=Sum C1/LCli	<0.01		EN 9:20	ISO 16000- 006	Report 7P07934-2
Can the product itself g	ive rise to any noise?			lot relevant	☐ Yes ⊠ No
Value		Unit	Meth	od of measuremer	nt
Can the product give rise to electrical fields?			□ N	lot relevant	☐ Yes ⊠ No
Value		Unit	Meth	od of measuremen	nt
Can the product give ris	se to magnetic fields?		□ N	lot relevant	☐ Yes ⊠ No
Value		Unit	Meth	od of measuremen	nt
Other information:					

References

Appendices

1. Storage, maintenance and installation intructions for internal doors