Byggvarubedömningen's guideline and information requirements for assessment of product, Version 2016-1.

These guidelines describe what information that Byggvarubedömningen requires for assessment of articles and chemical products. Information about the article or chemical product can be provided in this document, alternatively refer to another documentation in which the corresponding information is given.

1. Product information

Product

| Product name: | Holztreppe Royal Polar 54/113/-275 | | |
|--|--|---|--|
| Article No.: | 30161 | | |
| Specify the type of number, for example RSK, E number, EAN, GTIN or supplier's article number. This should also be stated on the application. | (Document ID: 30161-2019-1) | | |
| Product description: | Product group: Loft Ladder | | |
| On application, please attach a product data sheet or similar documentation. | High insulated 3-section loft ladde | r | |
| Type of product: | \square Chemical product | ☐X Article | |
| Date (year, month, day) of preparation/revision: | 2019-08-28 | | |
| Supplier/Manufacturer | | | |
| Supplier: | MINKA Holz- und Metallverarbeitu | ings GmbH | |
| Manufacturer if other than the supplier: | | | |
| Voluntary information | | | |
| Contact person: | Johannes Franek | | |
| Address: | Flurgasse 6, A-8642 St. Lorenzen, Austria | | |
| E-mail: | Johannes.franek@minka.at | | |
| | | | |
| Phone number: | +43/3864 2238-56 | | |
| | +43/3864 2238-56 | | |
| Phone number: Supporting documentation Has a declaration of performance, in line | +43/3864 2238-56 | □X No | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products | | □X No | |
| Phone number: Supporting documentation Has a declaration of performance, in line | | □X No | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the | ☐ Yes | □Х № | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product? If yes, attach the declaration of performance is the article/product an electronic product and covered by the RoHS- | ☐ Yes | □X No | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product? If yes, attach the declaration of performance is the article/product an electronic | Yes The with the application | | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product? If yes, attach the declaration of performance ls the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)? | ☐ Yes The with the application ☐ Yes ☐ Yes ☐ Yes | □X No ate that attests that the product corresponds | |
| Phone number: Supporting documentation Has a declaration of performance, in line with the Swedish Construction Products Regulation, been prepared for the product? If yes, attach the declaration of performance ls the article/product an electronic product and covered by the RoHS-directive (2011/65/EU)? If yes, attach an "EU Declaration of Conformation of Conform | ☐ Yes The with the application ☐ Yes ☐ Yes ☐ Yes | □X No ate that attests that the product corresponds | |

1

2. Declaration of contents:

If any deviations from BVB's reporting requirements exist,

specify these in the comments in Table 2, or alternatively

here.

Specify the total content of the article or the chemical product, **on delivery**, in Table 1, or alternatively attach other documentation that provides the corresponding information. For instructions, please refer to the "Declaration of contents, BVB's declaration requirements, 2016-1", which is found at the end of this document.

| Included substances and material | EG No./CAS No. (alternatively alloy) | Weight% (of entire product) | When applicable, state for which subcomponent | Weight% (of substance in subcomponent) | Comments (state eventual application of non- t harmonized classifications) |
|--|--|-----------------------------------|---|--|--|
| wood (spruce / HDF) | | 85,00% | frame, hatch, ladder | | Anx. 4.1 (new) |
| Steel (Steel) | | 10,00% | hinges, screws | | Anx. 6.1, 6.3 |
| polystyrene (polystyrene) | | 4,00% | hatch insulation | | Anx. 2.1 |
| plastics (PA / RakuPur) | | 0,01 | sealing opener cane | | Anx. 1.1, 3.1 (new), 5.1 |
| | | | curie | | (new), J. I |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| the level Recommended as described in "locontents, BVB's declaration requirements, the end of this document? (Enables the assessment Recommended) If not, does the declaration fulfill the instruction of the declaration of declaration requirements, 2016-1", given | 2016-1, given at uctions for the lecontents, BVB's | vel □X Yes | | □ No | |
| document? If any deviations from BVB's reporting req specify these in the comments in Table 1, here. | | Other co | mments: | | |
| | | | | | |
| Is the chemical composition different, for applied (cured product) compared to the (applies to chemical products) | | | | ⊠ No | |
| applied (cured product) compared to the | content at delive | | | ⊠ No | |
| applied (cured product) compared to the (applies to chemical products) If yes, specify the content of the cured pro | content at delive | ry? | | | |
| applied (cured product) compared to the (applies to chemical products) If yes, specify the content of the cured products Table 2, Contents for applied product | content at delive oduct in Table 2. | ry? | | requirement. ed (st. no | S) Domments ate any application of n-harmonized assifications) |
| applied (cured product) compared to the (applies to chemical products) If yes, specify the content of the cured product Table 2, Contents for applied product Included substances and material | content at delive oduct in Table 2. | ry? in accordance | o. Weight% (of the appli | requirement. ed (st. no | omments ate any application of n-harmonized |
| applied (cured product) compared to the (applies to chemical products) | content at delive oduct in Table 2. | ry? in accordance | o. Weight% (of the appli | requirement. ed (st. no | omments ate any application of n-harmonized |

Other comments:

| Does the product or any of its subcomponents contain substances with particularly hazardous properties (Substances of Very High Concern, SVHC-substances), which are included in the Candidate List at a concentration above 0.1 weight%? | | | ☐ Yes | | □X No | |
|---|--|--|------------------|---|-----------------|----------------------------|
| If yes, specify which substance | ces in Table 1 to | gether with the res | t of the conte | nt of the product. | | |
| State the date (year, month, List. | day) for control | the Candidate | Date: | | | |
| The concentration is calculat | ed at componen | it level established | on the princip | ole "once a produc | t, always a pro | oduct". |
| The Candidate List is availab | le at: http://echa. | .europa.eu/sv/cand | didate-list-tabl | e. | | |
| Nanomaterial | | | | | | |
| Does the product contain an purposefully added to achieve | | | ☐ Yes | | □Х № | |
| Information regarding whether no achieve a specific function must be assessment. | | | | | | |
| If yes, specify the material. | | | Material: | | 1 | |
| | | | | | | |
| 3. Recycled rav | | | ☐ Yes | | □XNo | |
| If yes, specify in Table 3. | ., | | | | | |
| if yes, specify in Table 5. | | | | | | |
| If the product consists of rec 3, Recycled materials. | ycled materials s | specify the materia | al and the perc | entages of the tota | al weight of th | e product, in <i>Table</i> |
| Table 3, Recycled materio | | | | | | - |
| Material | Percentage (%) Recycled material of the total product's weight | Percentage (%) of the recycled mat not reached the cor such as production (pre-consumer) | nsumer level, | Percentage (%) of the recycled mate reached the consum consumer) | | Comments |
| | | | | | | |
| If wood raw material is in | ncluded | | | | | |
| Can the product be ordered with sustainability certificates for the wood raw material? <i>E.g.: FSC and PEFC</i> | | | □X Yes □ No | | | |
| Explain if the certificate does MINKA has 100% PEFC | not cover all of | the wood raw ma | terial: | | | |
| If yes, attach a certificate/ass application. | urance that the | product can be ord | dered with a s | ustainability certific | ate together v | with the |
| If no, state the country where harvested. | e the wood raw r | material was | Country of h | arvest: | | |
| Is the wood species or originendangered species? | in the CITES ap | pendix for | ☐ Yes ☐ X No | | | |

4. The production phase

| 4. The production phase | | | | | |
|---|--|------|--|--|--|
| Has an Environmental Product Declaration (EPD) been prepared? | ☐ Yes | □Х № | | | |
| If yes, enclose the EPD (Environmental Product Declaration) or other environmental product declaration together with the application. | | | | | |
| Has an active choice been made, regarding the electricity supplier, in order to promote electricity production from renewable energy sources? | | | | | |
| Describe the type of energy source, percentage of energy stemming from the renewable source, how long the agreement has been applied, electricity supplier, and for which part of the production it is valid for: MINKA has a photovoltaic plant and produces equivalent of 100% of electricity needed for stairs production | | | | | |
| 5. Distribution of the completed product | | | | | |
| Describe the management of packaging for the distribution | Description of the packaging: | | | | |
| of the product State whether any system for taking back or recycling packaging or any | Hatch protection: corrugated cardboard | | | | |
| other specific return system is used. | Packaging: plastic foil | | | | |
| Specify the packaging material used and which system of producer responsibility for packaging the supplier is affiliated to. | | | | | |
| Enter the proportion of recycled material, if any, included in the | | | | | |

6. Construction and usage phase

Other information:

| Are there any special requirements such as storage conditions etc. for the product during storage? | □X Yes | | □ No | |
|--|--------|------|-------|------------------|
| If yes, describe: store in dry conditions | | | | |
| Are there any special requirements for adjacent building products because of this product? | ☐ Yes | | □X No | |
| If yes, describe: | | | | |
| Are there any operating/care instructions for the product? | ☐ Yes | | □Х № | |
| If yes, attach the documentation with the application. | | | | |
| Is the product energy labelled in accordance with the Energy Labelling Directive (2010/30/EU)? | ☐ Yes | □ No | | ☐ X Not relevant |
| If yes, state class (G to A, A+, A++, A+++): | Class: | • | • | |

7. Waste management

| Does the product require special measures to protect health and the environment in conjunction with demolition/dismantling? | □ Yes | □X No |
|---|----------------------------|-------|
| If yes, describe: | | |
| Is the product covered by the WEEE-directive 2012/19/EU (Swedish ordinance (2014:1075) on Producer Responsibility for electrical and electronic products when it becomes waste? | Yes | □X No |
| Is it possible to re-use all or parts of the product? (can the product be reused within the product's expected lifetime)? | ☐ Yes | □Х № |
| If yes, describe: | | |
| Is material recycling possible for all or parts of the product when it becomes waste? | ☐ Yes | □Х № |
| If yes, describe: | | |
| Is energy recycling possible for all or parts of the product when it becomes waste? | ☐ Yes | □Х № |
| Does the supplier have any restrictions and recommendations for reuse, material- or energy recycling or disposal? | Yes | □X No |
| If yes, specify which: | | |
| When the supplied product becomes waste, is it classified as hazardous waste? | ☐ Yes | □Х № |
| If yes, specify the waste code: The Swedish waste ordinance (2011:927) https://www.notisum.se/rnp/sls/lag/20110927.htm | Waste code: Bulky waste | |
| 8. Indoor environment | | |
| Has the product a critical moisture condition: | ☐ Yes | □X No |
| Information regarding whether critical moisture conditions leading to microbial growth apply for the material/product should be stated, but will not impact the assessment. | | |
| If yes, specify which: | | |
| Is the article (or chemical product) intended for indoor use? | □X Yes | □ No |
| If yes, has emission data been produced for volatile organic compounds? | □X Yes | □ No |
| If yes, attach the report/certificate together with the application | n | |
| If no, is there any motivation for why emission data for volatile organic compounds is not relevant for the product? | Motivation: | |

Certificate of substance content and concentrations version. 4.0

This certificate is required for the Recommended assessment level for chemical contents. This page should be printed to be signed and uploaded separately in PDF-format in connection with the application.

Certificate of declaration of substance content

| For the produ | icts specified below, with their stated article numbers, the following is certified: |
|---------------|--|
| | per to certify alternative A or B. |
| | It is hereby certified that concentrations of the included substances down to 0.01 weight% have been reported, and that cadmium and mercury do not occur in the product. |
| A □X | or: |
| | The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Recommended level. |
| | It is hereby certified that concentrations of the included substances down to 0.1 weight% have been reported, and that cadmium and mercury do not occur in the product. |
| В | or: |
| | The substances included are reported in line with the instructions for the Declaration of Contents, BVB's reporting requirements 2016-1, and correspond to the reporting requirements for the Accepted level. |
| For the prod | ucts specified below, with their stated article numbers, the following is certified: |
| Choose wheth | ner to certify alternative C or D. |
| c 🗆 | It is hereby certified that the specified product/s do not contain specifically indicated substances and groups of substances in accordance with Table 4, Specifically indicated substances. These have not been added during production and have not been formed through reactions between the substances in the product. |
| D 🗆 | Unfortunately, we have to notify that the specified products contain specifically indicated substances in accordance with Table 4, Specifically indicated substances. Some of these substances have been added or been formed during reaction between the substances in the product, please see the Declaration of Contents. |

Table 4, Specifically indicated substances

| Substance group/Substance | Examples of properties |
|--|--|
| 1. Arsenic and its compounds ¹ | Toxic, Environmentally hazardous |
| 2. Brominated flame retardants | Potentially PBT/vPvB, PBT/vPvB |
| 3. PFOA (perfluorooctanioic acid) | Persistent, bioaccumulative, probable reproductive toxicity |
| 4. PFOS (perfluorooctanesulfonates) | Potentially PBT/vPvB, PBT/vPvB |
| 5. Organotin compounds | Potentially PBT/vPvB, PBT/vPvB, Toxic, Environmentally hazardous |
| 6. Biocidal product applied on products (surface treatments) to provide a disinfectant or anti-bacterial effect. | Toxic, Environmentally hazardous |

¹ Arsenic, or arsenic compounds, are not permitted to be added to the product. Contamination of used raw materials is not permitted to exceed 10 mg/kg. The concentration limit is set based on regulatory requirements for soil quality to ensure that accepted products do not raise background concentrations through their use or disposal (for example; sludge from sewage treatment works Swedish Ordinance 1998:944, Section 20). The same concentration limits are found in the Swedish Environmental Protection Agency's general guidelines for less sensitive land use (MKM).

| Product identification: (designation and article number) | Loft Ladder "Holztreppe Royal Polar 54/113/-275" Item No: 30161 EAN: 9004875301607) |
|--|--|
| State the reference document (name and version/date) that contains the actual Declaration of Contents: | |
| Person responsible for the | Johannes Franek |
| declaration: | |
| Signature: | |
| Place and date (year, month, day): | St. Lorenzen, Austria, 2019-08-28 |
| | |

Declaration of contents, BVB's declaration requirements, 2016-1

A complete declaration of contents in accordance with the instructions should be made for both products and chemical products. For products, concentrations have to be reported as a weight% for the entire product as minimum. The contents can be provided in other documentation, if the reporting instructions are complied with, or alternatively supplemented so that they are in compliance. Reporting requirements for the Accepted level correspond to the requirements for "e-BVD2015".

For the Accepted and Recommended levels, classified substances are needed to be reported in the documentation if concentrations exceed limits (weight%) in accordance with *Table 5*, *Classified* substances. Those substances that are not included in Table 5 must be reported when concentrations of $\geq 2\%$ occur.

Material and substance contains can be provided in intervals. Examples of accepted intervals are: ≤1%, 1-2.5%, 2.5-10%, 10-25%, 25-50%, 50-75%, 75-100%. In occasion of large intervals, state the reason for the variance and describe what materials/substances increase or decrease in proportion if the product, for example, comes in different sizes.

If classification is applied that is not covered by harmonized classification, this information requires to be reported in the comments column for that substance.

Table 5, Classified substances

| Hazard class | Reporting lim | Reporting limit | | |
|--|---------------|--|--|--|
| | Accepted | Recommended | | |
| Carcinogenic categories 1A and 1B (H350) | ≥ 0.1% | ≥ 0.01% | | |
| Carcinogenic category 2 (H351) | ≥ 1% | ≥ 0.1% | | |
| Mutagenic categories 1A and 1B (H340) | ≥ 0.1% | ≥ 0.01% | | |
| Mutagenic category 2 (H341) | ≥ 1% | ≥ 0.1% | | |
| Reproductive toxicity, categories 1A and 1B (H360) | ≥ 0.3% | ≥ 0.03% | | |
| Reproductive toxicity, category 2 (H361) | ≥ 2% | ≥ 0.3% | | |
| Reproductive toxicity effects on or through breastfeeding (H362) | ≥ 0.3% | ≥ 0.03% | | |
| Endocrine disruptors ^{1, 2} | ≥ 0.1% | ≥ 0.01% | | |
| PBT and/or vPvB ³ | ≥ 0.1% | ≥ 0.01% | | |
| Skin sensitizers (H317) | ≥ 1% | ≥ 0.1% | | |
| Respiratory sensitizers (H334) | ≥ 0.2% | ≥ 0.02% | | |
| Hazardous to aquatic environments, chronic category 1 (H410) | ≥ 2% | ≥ 0.25% | | |
| Ozone depleting substances (EUH 059 and H420) | ≥ 0.1% | ≥ 0.01% | | |
| Acute toxicity category 1 (H300, H310, H330, H301, H311 and/or H331) | ≥ 0.1% | ≥ 0.01% | | |
| Acute toxicity category 2 (H300, H310, H330, H301, H311 and/or H331) | ≥ 1% | ≥ 0.1% | | |
| Acute toxicity category 3 (H300, H310, H330, H301, H311 and/or H331) | ≥ 2% | ≥ 1% | | |
| Pure or compounds of cadmium (Cd) | ≥ 0.01% | ≥ 0.001% | | |
| Pure or compounds of lead (Pb) | ≥ 0.1% | ≥ 0.01% | | |
| Pure or compounds of mercury (Hg) | | Contamination ≥ 2.5 mg/kg (ppm) of active additives must always be reported. | | |
| ¹ Endocrine disruptors (EDS list) | ≥ 0.1% | ≥ 0.01% | | |
| ² Endocrine disruptors (SIN list) | | ≥ 0.01% | | |
| ³ PBT, vPvB (SIN list) | ≥ 0.1% | ≥ 0.01% | | |
| Candidate List | ≥0.1%* | ≥ 0.01% | | |
| Other classifications or unclassified substances and material | ≥ 2% | ≥ 2% | | |

^{*}Substances on the Candidate List have to be reported at component level.

Descriptions of material

Substances should be reported with their CAS- or EC number. Exemptions for certain material can be performed in accordance with the following instructions.

Metals should always be reported together with their alloy number. Alternatively, substances comprising more than 0.01% of the alloy has to be specified in the documentation.

Plastics and rubber materials should be reported together with their name so that it is clearly which monomers that are included, for example, acrylonitrile butadiene styrene (ABS), polyethylene (PE), etc. Additives that have not formed polymers should always be reported in accordance with requirements specified above (for example pigments, plasticizers, stabilizers, etc.).

Plastics/polymers with descriptions in line with the following list are accepted without specification of monomers.

- Polycarbonate (pertains to bisphenol A based polycarbonates)
- Polyester (monomers must be specified for halogenated polyesters)
- Polyurethane (monomers must be specified for halogenated polyurethanes)
- Fiberglass reinforced epoxy resin laminates FR4 (pertains to tetrabromobisphenol A based polymers)
- MS-polymer (refers to silane modified polyether)

Note that if the plastic/polymer contains additives (such as pigments, plasticizers, stabilizers, etc.), they shall always be reported in accordance with the declaration requirements.

Other materials with the following descriptions are accepted without clarification or detailed description of their components as the materials normally consist of:

- Glass (any content of lead needs to be reported for the assessment level recommended, e.g. relevant for recycled glass)
- Concrete (polymers included in the concrete are reported separately)

Examples of designations of plastics/polymers and other material descriptions that require further clarification are:

- Polymer dispersion
- Copolymer
- Thermoplastic elastomers (TPE)
- Thermoplastics
- MS polymers
- Mineral fillers
- Silanes: The type of polymer needs to be given, e.g. if it refers to a silane/silyl modified polyether or polyurethane.
- PVC: for contents above 2%, plasticizers always needs to be given with CAS no. Concentration of plasticizers below 2%, needs to be declared according to declaration requirements specified in Table 5. If no plasticizer is declared, the reason for that needs to be given.
- EPDM and SBR rubber: for levels above 2%, mineral/paraffin oil always needs to be given with CAS no. As an alternative, the maximal PAH content in the material can be given. For products intended to be used in contact with skin, the maximum content of PAH content shall be reported.
- The PAH content in the material needs to be reported for the assessment level recommended when asphalt/bitumen is present above 10% in the product.

For complex products, references to subcomponents which are assessed in BVB's systems with a specified BVB ID, can be used.